

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S61	21	717/104.ccls. ((generat\$4 or develop\$4) near4 (application or software)) (uml with (model\$4 or case or use or diagram)) (model\$4 with (generat\$4 or develop\$4) with (platform or language or system)) ((model\$4 or platform or system) near8 (based or driven or specific)) (model\$4.ti. or model\$4.clm.) ((template or library) with (generat\$4 or develop\$4 or integrat\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/22 09:16
S60	68	717/104.ccls. ((generat\$4 or develop\$4) near4 (application or software)) (uml with (model\$4 or case or use or diagram)) (model\$4 with (generat\$4 or develop\$4) with (platform or language or system)) ((model\$4 or platform or system) near8 (based or driven or specific)) (model\$4.ti. or model\$4.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/22 09:15
S59	76	717/104.ccls. ((generat\$4 or develop\$4) near4 (application or software)) (uml with (model\$4 or case or use or diagram)) (model\$4 with (generat\$4 or develop\$4) with (platform or language or system)) ((model\$4 or platform or system) near8 (based or driven or specific))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/22 09:14
S58	52	((generat\$4 or develop\$4) near4 (application or software)) (uml with (model\$4 or case or use or diagram)) (model\$4 with (generat\$4 or develop\$4) with (platform or language or system)) @ay<"2001" ((model\$4 or platform or system) near8 (based or driven or specific)) (model\$4.ti. or model\$4.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/22 09:13
S57	427	((generat\$4 or develop\$4) near4 (application or software)) (uml with (model\$4 or case or use or diagram)) (model\$4 with (generat\$4 or develop\$4) with (platform or language or system)) ((model\$4 or platform or system) near8 (based or driven or specific)) (model\$4.ti. or model\$4.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/22 08:28
S56	381	((generat\$4 or develop\$4) near4 (application or software)) (uml with model\$4) (model\$4 with (generat\$4 or develop\$4) with (platform or language)) ((model\$4 or platform) with (based or driven or specific))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/22 08:26
S55	465	((generat\$4 or develop\$4) near4 (application or software)) (uml with model\$4) (model\$4 with (generat\$4 or develop\$4) with (platform or language)) (model\$4 with (platform or language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/22 08:24
S54	988	((generat\$4 or develop\$4) near4 (application or software)) (uml with model\$4) (model\$4 with (generat\$4 or develop\$4)) (model\$4 with (platform or language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/22 08:23
S53	1069	((generat\$4 or develop\$4) near4 (application or software)) (uml with model\$4) (model\$4 with (generat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/22 08:23

EAST Search History

S52	65	((platform or language) near6 (different)) (uml with model) ((software or application) near6 (generat\$4 or develop\$4)) @ay<"2001" ((uml or model) with (generat\$4 or develop\$4) with (multi or specific or based or cross or different))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 11:05
S50	58	((platform or language) near6 (cross)) (uml with model) ((software or application) near6 (generat\$4 or develop\$4)) @ay<"2001" ((uml or model) with (generat\$4 or develop\$4) with (multi or specific or based or cross))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 10:47
S46	63	((platform or language) near6 (multi)) (uml with model\$4) ((software or application) near6 (generat\$4 or develop\$4)) @ay<"2001" ((uml or model\$4) same (generat\$4 or develop\$4) same (multi or specific or based))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 10:45
S45	113	((platform or language) near6 (multi)) (uml with model\$4) ((software or application) near6 (generat\$4 or develop\$4)) ((uml or model\$4) same (generat\$4 or develop\$4) same (multi or specific or based))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 10:40
S44	481	((platform or language) near6 (multi or specific or based)) (uml with model\$4) ((software or application) near6 (generat\$4 or develop\$4)) ((uml or model\$4) same (generat\$4 or develop\$4) same (multi or specific or based))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 10:39
S43	585	((platform or language) near6 (multi or specific or based)) (uml with model\$4) ((software or application) near6 (generat\$4 or develop\$4)) ((uml or model\$4) same (generat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 10:37
S42	638	((platform or language) near6 (multi or specific or based)) (uml with model\$4) ((software or application) near6 (generat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 10:36
S18	1	(uml with (model\$4 or use or case or diagram)) (software near4 develop\$6) (model\$1 driven or (model adj2 driven)) @ay<"2000" generat\$4 object class ((pars\$4 or read\$4 or generat\$4) with (uml or model\$4)) (platform or language) (model\$4.clm. or model\$4.ti.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 10:35
S41	64	(model\$4 with uml) ((model\$4 or uml) near9 (generat\$4 or develop\$4)) 7??/\$.ccis. @ay<"2001" (uml with (case or use or diagram)) ((platform or language or system or architecture) near9 (specific or based or driven)) generat\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 07:06

EAST Search History

S40	429	(model\$4 with uml) ((model\$4 or uml) near9 (generat\$4 or develop\$4)) 7??/\$.cls. (uml with (case or use or diagram)) ((platform or language or system or architecture) near9 (specific or based or driven)) generat\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 07:05
S39	664	(model\$4 with uml) ((model\$4 or uml) near9 (generat\$4 or develop\$4)) 7??/\$.cls. ((platform or language or system or architecture) near9 (specific or based or driven)) generat\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 07:05
S38	959	(model\$4 with uml) ((model\$4 or uml) near9 (generat\$4 or develop\$4)) ((platform or language or system or architecture) near9 (specific or based or driven)) generat\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 07:04
S37	1424	(model\$4 with uml) ((model\$4 or uml) near9 (generat\$4 or develop\$4)) ((platform or language or system or architecture) near9 (specific or based or driven))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 07:04
S36	92	(model\$4 near9 (uml or driven)) (uml near9 (diagram or use or case)) ((software or application) near9 (generat\$4 or develop\$4)) @ay<"2001" generat\$4.clm. ((software or application) with (platform or language)) ((model\$4 or uml) with (generat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 06:47
S35	623	(model\$4 near9 (uml or driven)) (uml near9 (diagram or use or case)) ((software or application) near9 (generat\$4 or develop\$4)) generat\$4.clm. ((software or application) with (platform or language)) ((model\$4 or uml) with (generat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 06:37
S34	665	(model\$4 near9 (uml or driven)) (uml near9 (diagram or use or case)) ((software or application) near9 (generat\$4 or develop\$4)) generat\$4.clm. ((software or application) with (platform or language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 06:35
S33	917	(model\$4 near9 (uml or driven)) (uml near9 (model\$4 or diagram or use or case)) ((software or application) near9 (generat\$4 or develop\$4)) generat\$4.clm. ((software or application) with (platform or language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 06:34
S32	1049	(model\$4 near9 (uml or driven)) (uml near9 (model\$4 or diagram or use or case)) ((software or application) near9 (generat\$4 or develop\$4)) generat\$4.clm. ((software or application) same (platform or language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 06:33

EAST Search History

S31	1136	(model\$4 near9 (uml or driven)) (uml near9 (model\$4 or diagram or use or case)) ((software or application) near9 (generat\$4 or develop\$4)) generat\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 06:33
S30	1875	(model\$4 near9 (uml or driven)) (uml near9 (model\$4 or diagram or use or case)) ((software or application) near9 (generat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 06:33
S29	22	((software or application) near4 (develop\$6 or generat\$4)) (uml with (case or diagram or model\$4)) model\$4 @ay<"2002" (model\$1driven or (model adj2 driven)) class (platform or language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/19 11:29
S28	85	((software or application) near4 (develop\$6 or generat\$4)) (uml with (case or diagram or model\$4)) model\$4 (model\$1driven or (model adj2 driven)) class (platform or language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/19 11:29
S24	76	(software near4 (develop\$6 or generat\$4)) (uml with (case or diagram or model\$4)) model\$4 (model\$1driven or (model adj2 driven)) class (platform or language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/19 11:27
S23	60	(software near4 (develop\$6 or generat\$4)) (uml with (case or diagram or model\$4)) model\$4 (model\$1driven or (model adj driven)) class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/19 10:38
S22	74	(software near4 (develop\$6 or generat\$4)) (uml with (case or diagram or model\$4)) model\$4 (model\$1driven or (model adj driven))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/19 10:37
S21	69	(software near4 develop\$6) (uml with (case or diagram or model\$4)) model\$4 (model\$1driven or (model adj driven))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/19 10:36
S20	938	(software near4 develop\$6) (uml with (case or diagram or model\$4)) (model\$4 or (model\$1driver or (model adj driven)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/19 10:36

EAST Search History

S19	58	(uml with (model\$4 or use or case or diagram)) (software near4 develop\$6) (model\$1driven or (model adj2 driven)) generat\$4 object class ((pars\$4 or read\$4 or generat\$4) with (uml or model\$4)) (model\$4.clm. or model\$4.ti.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/18 08:29
S17	69	(uml with (model\$4 or use or case or diagram)) (software near4 develop\$6) (model\$1driven or (model adj2 driven)) generat\$4 object class ((pars\$4 or read\$4 or generat\$4) with (uml or model\$4)) (platform or language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/18 08:25
S16	25	(uml with (model\$4 or use or case or diagram)) (software near4 develop\$6) (model\$1driven or (model adj2 driven)) generat\$4 object class pars\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/18 08:17
S15	71	(uml with (model\$4 or use or case or diagram)) (software near4 develop\$6) (model\$1driven or (model adj2 driven)) generat\$4 object class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/18 08:17
S14	60	(uml with (model\$4 or use or case or diagram)) (software near4 develop\$6) (graphic\$6 or visual\$4) (model\$1driven or (model adj2 driven)) generat\$4 object class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/18 08:16
S13	60	uml (software near4 develop\$6) (graphic\$6 or visual\$4) (model\$1driven or (model adj2 driven)) generat\$4 object class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/18 08:15
S12	21	uml (software near4 develop\$6) (graphic\$6 or visual\$4) (model-driven) generat\$4 object class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/18 08:14
S11	692	uml (software near4 develop\$6) (graphic\$6 or visual\$4) (model\$4 or model-driven) generat\$4 object class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/18 08:14